

Table 8.12
Adjusted Patient Survival, Kidney-Pancreas Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	1,780	97.4%	0.4%	1,780	95.1%	0.5%	5,278	86.6%	0.6%	9,732	69.9%	0.8%
Age at Tx												
1-5 Years	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
6-11 Years	1	+	+	1	+	+	1	+	+	1	+	+
12-17 Years	1	+	+	1	+	+	1	+	+	2	+	+
18-34 Years	386	98.5%	0.6%	386	96.4%	0.9%	1,266	87.1%	1.2%	2,622	72.3%	1.3%
35-49 Years	1,085	97.6%	0.5%	1,085	95.3%	0.6%	3,129	87.4%	0.8%	5,824	70.8%	1.0%
50-64 Years	302	95.4%	1.2%	302	92.7%	1.5%	871	83.2%	1.6%	1,270	60.0%	3.2%
65+ Years	5	80.1%	16.0%	5	80.1%	16.0%	10	90.0%	9.0%	12	78.5%	13.1%
Recipient Ethnicity/Race												
White	1,309	97.6%	0.4%	1,309	95.6%	0.6%	3,991	87.0%	0.7%	7,704	70.5%	0.8%
African American	284	95.6%	1.2%	284	93.0%	1.5%	758	82.6%	2.0%	1,214	64.4%	2.3%
Hispanic/Latino	147	98.6%	1.0%	147	94.5%	1.9%	428	88.4%	2.0%	662	71.5%	3.3%
Asian	27	96.4%	3.5%	27	96.4%	3.5%	71	89.1%	4.4%	104	79.3%	6.1%
Other/Multi-race	13	100.0%	0.0%	13	92.6%	6.8%	30	86.8%	6.0%	48	54.3%	12.9%
Recipient Gender												
Female	655	97.5%	0.6%	655	94.9%	0.9%	2,030	86.4%	1.0%	3,888	68.6%	1.2%
Male	1,125	97.3%	0.5%	1,125	95.2%	0.6%	3,248	86.7%	0.8%	5,844	70.7%	1.0%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on Kidney-Pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.